

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
	Art. Nr.	CHF/Stk.					
ACO Drain	5ANW.11.11		6200	2612	111	20H	200
	5A20.11.11	74.00	6200/6205 20	2612 020 00	111-20	20H-20-00	200-20
	5A25.11.11	84.00	6200/6205 25	2612 025 00	111-25	20H-25-00	200-25
	5A30.11.11	95.00	6200/6205 30	2612 030 00	111-30	20H-30-00	200-30
	5A40.11.11	126.00	6200/6205 40	2612 040 00	111-40	20H-40-00	200-40
	5A50.11.11	158.00	6200/6205 50	2612 050 00	111-50	20H-50-00	200-50
	5A60.11.11	173.00	6200/6205 60	2612 060 00	111-60	20H-60-00	200-60
	5A6P.11.11	173.00	6205 60	-	111-60P	20P-60-00	-
	5A80.11.11	604.00	6200/6205 80	-	-	20H-80-00	200-80
	5ANW.17.11		6260	2640	121	23	202
ACO Edelstahl	5A20.17.11	105.00	-	-	-	-	-
	5A25.17.11	116.00	-	-	-	-	-
	5A30.17.11	131.00	6260/60a 30	2640 030 00	121-30	23-130-00	202-30
	5A40.17.11	168.00	6260/60a 40	2640 040 00	121-40	23-140-00	202-40
	5A50.17.11	189.00	6260/60a 50	2640 050 00	121-50	23-150-00	202-50
	5A60.17.11	221.00	6260/60a 60	2640 060 00	121-60	23-160-00	202-60
	5A80.17.11	630.00	6260/60a 80	2640 080 00	-	23-180-00	202-80
	5ANW.11.12		6230	2660	131	26S	310
	5A20.11.12	210.00	6230 20	2660 020 02	-	-	-
	5A25.11.12	221.00	6230 25	2660 025 03	-	-	-
ACO Bauguss	5A30.11.12	236.00	6230 30	2660 030 03	131-30	-	310-30
	5A40.11.12	284.00	6230 40	2660 040 03	131-40	-	310-40
	5A50.11.12	326.00	6230 50	2660 050 03	131-50	26S-50-02	310-50
	5A60.11.12	362.00	6230 60	2660 060 02	131-60	26S-60-02	310-60
	5A6VS11.12	362.00	-	-	131-60VS	-	-
	5A80.11.12	809.00	6230 80	2660 080 02	131-80	26S-80-02	310-80
	5A70.12.11	257.00	6150/6151 60	2582 060 00	111-60C/111-70	20C-60	195-60
	5A80.12.11	389.00	-	-	111-80	-	-
	5BNW.11.11		6215/6216	2613	115	21H	201
	5B20.11.11	74.00	6215/16 20	2613 020 00	115-20	21H-20-00	201-20
ACO Schacht- abdeckungen	5B25.11.11	84.00	6215/16 25	2613 025 00	115-25	21H-25-00	201-25
	5B30.11.11	95.00	6215/16 30	2613 030 00	115-30	21H-30-00	201-30
	5B40.11.11	142.00	6215/16 40	2613 040 00	115-40	21H-40-00	201-40
	5B50.11.11	179.00	6215/16 50	2613 050 00	115-50	21H/P-50-00	201-50
	5B60.11.11	200.00	6215/16 60	2613 060 00	115-60	21H/P-60-00	201-60
	5B6P.11.11	200.00	6216 60	-	115-60P	21P-60	201-60
	5B80.11.11	625.00	6215/16 80	2613 080 00	-	21H-80-00	201-80
	5BNW.17.11		6262	2642	125	23-5	203
	5B20.17.11	105.00	-	850	-	-	-
	5B25.17.11	121.00	-	-	-	-	-
ACO Schächte	5B30.17.11	137.00	6262 30	2642 030 00	125-30	23-530-00	203-30
	5B40.17.11	179.00	6262 40	2642 040 00	125-40	23-540-00	203-40
	5B50.17.11	215.00	6262 50	2642 050 00	125-50	23-550-00	203-50
	5B60.17.11	252.00	6262 60	2642 060 00	125-60	23-560-00	203-60
	5B80.17.11	672.00	6262 80	2642 080 00	-	23-580-00	203-80
	5BNW.11.12		6231	2661	135	27S	311
	5B20.11.12	210.00	6231 20	2661 020 02	-	-	-
	5B25.11.12	226.00	6231 25	2661 025 03	-	-	-
	5B30.11.12	242.00	6231 30	2661 030 03	135-30	-	311-30
	5B40.11.12	305.00	6231 40	2661 040 03	135-40	-	311-40
ACO Mineralöl- abscheider	5B50.11.12	352.00	6231 50	2661 050 03	135-50	27S-50-02	311-50
	5B60.11.12	389.00	6231 60	2661 060 02	135-60	27S-60-02	311-60
	5B6VS11.12	389.00	-	-	135-60VS	-	-
	5B80.11.12	851.00	6231 80	2661 080 02	135-80	27S-80-02	311-80
	5B60.18.11	278.00	-	-	-	-	-
	5B6P.18.11	278.00	-	-	-	-	-
	5B60.19.11	331.00	-	-	-	-	-
	5B60.18.12	473.00	-	-	-	-	-
	5B70.12.11	268.00	6152 60	2583 060 00	115-60C/115-70	21C-60H	196-60
	5B7P.12.11	268.00	6153 60	-	115-60PC	21C-60P	196-60
ACO Spezial- anwendungen	5B80.12.11	415.00	-	-	115-80	21H-70	-
	5B80.12.11	415.00	-	-	115-80	21H-70	-
	5B80.12.11	415.00	-	-	115-80	21H-70	-
ACO Markant	5B60.18.11	278.00	-	-	-	-	-
	5B6P.18.11	278.00	-	-	-	-	-
	5B60.19.11	331.00	-	-	-	-	-
	5B60.18.12	473.00	-	-	-	-	-
	5B70.12.11	268.00	6152 60	2583 060 00	115-60C/115-70	21C-60H	196-60
	5B7P.12.11	268.00	6153 60	-	115-60PC	21C-60P	196-60
	5B80.12.11	415.00	-	-	115-80	21H-70	-

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
	Art. Nr.	CHF/Stk.					
	5B8P.12.11	415.00	-	-	-	21P-70	-
	5B60.22.11	336.00	6182 60	2563 060 00	115-60Q	-	-
	5B6P.22.11	336.00	6183 60	-	115-60PQ	-	101-60
	5C40.ZH.11	620.00	-	-	-	-	-
	5C4P.ZH.11	620.00	6521/40-2b.TAZ	-	-	-	-
	5C40.22.11	326.00	6182	-	-	-	-
	5C4P.22.11	326.00	6183/6521/40-2	-	140Q	-	-
	5C60.11.11	315.00	6300 / 6215 60a	2630 060 00	-	29H-60-00	300
	5C6P.11.11	315.00	6301 / 6216 60a	-	-	29P-60-00	304-60-A
	5C60.17.11	357.00	6263/6250b 60	2648 060	126-60	23-10-60-00	300-60
	5C60.11.12	520.00	6263 60 1	2630 060 07	136-60 / 312-60	28S-60-02	300-60-V / 312-60
	5C80.11.11	693.00	6215 80a	2645 080 00	-	-	300-80
	5C80.17.11	740.00	6250b 80	-	-	-	-
	5C80.11.12	919.00	6283 80	2645 080 07	136-80 / 312-80	-	300-80-V / 312-80
	5C60.18.11	336.00	6290	-	-	29A-60H-00	-
	5C6P.18.11	336.00	6291	-	-	29A-60P-00	304-60
	5C60.19.11	383.00	-	-	-	-	204-60-S
	5C60.18.12	525.00	6282 60	2646 060 07	193-60	-	204-60-S-V
	5C80.18.12	940.00	6282 75	2646 080 07	193-80	-	-
	5C70.12.11	331.00	6152 60a	-	-	29C-60H-00	-
	5C7P.12.11	331.00	6153 60a	-	-	29C-60P-00	-
	5C80.12.11	483.00	-	-	-	-	-
	5C8P.12.11	483.00	-	-	-	-	-
	5C60.22.11	457.00	6182 60a	2644 060 00	-	-	-
	5C6P.22.11	457.00	6183 60a	-	-	-	-
	1C6P.11.11	326.00	6301N	2630 060 00	140-60A	29H-60-00	304-60-A
	1C6P.11.12	415.00	6301Nd	-	-	-	-
	1C60.11.11	326.00	6300N	2630 060 00	140-60HA	29H-60-00	304-60-A
	1C60.11.12	415.00	6300Nd	-	-	-	-
	1C60.11.13	326.00	6302N	-	150-60A	-	305-60-A
	1C60.11.14	415.00	6302Nd	-	-	-	-
	1C6P.12.11	347.00	6291N	2645 060 00	140-60	29A-60H-00	304-60
	1C6P.12.12	436.00	6291Nd	2645 060 02	-	-	-
	1C60.12.11	347.00	6290N	2645 060 00	140-60H	29A-60H-00	304-60
	1C60.12.12	436.00	6290Nd/6283 60	2645 060 02	-	-	-
	1C60.12.13	347.00	6292N	2647 060 00	150-60	-	305-60
	1C60.12.14	436.00	-	2647 060 02	-	-	-
	1C6P.22.11	520.00	6506 60-1	2644 060 00	-	-	-
	1C6P.22.12	609.00	-	-	-	-	-
	1C60.22.11	520.00	-	2644 060 00	-	-	-
	1C60.22.12	609.00	-	-	-	-	-
	1C60.22.13	520.00	6507-1	2649 060 00	-	-	-
	1C60.22.14	609.00	-	-	-	-	-
	1C60.33.21	704.00	6501/6511	-	-	-	-
	1C60.33.22	809.00	6501d/6511d	-	-	-	-
	1C60.30.21	872.00	6501/6511(Ø130)	-	-	-	-
	1C60.30.22	977.00	6501d/6511dØ130	-	-	-	-
	1C60.31.21	924.00	6511(Re)	-	-	-	-
	1C60.31.22	1029.00	6511d(Re)	-	-	-	-
	1C60.13.21	688.00	6503b/6548 60b	-	-	3200-60-10	-
	1C60.13.22	793.00	6502db/6548/1b	-	-	-	-
	1C60.11.21	467.00	6503/6548	-	-	-	-
	1C60.11.22	572.00	6503d/6548/1	-	-	-	-
	1D60.33.21	735.00	6511(D400)	2632 010 10	N180	3900-60-10	1050-60
	1D60.33.22	840.00	6511(D400)d	2632 010 12	N180V	-	1050-60-V
	1D60.33.61	814.00	6511(D400)c	-	N180H	-	-
	1D60.33.62	919.00	6511(D400)c/d	-	N180HV	-	-
	1D60.33.23	735.00	6512(D400)	2633 010 10	N190	3910-60-10	1051-60
	1D60.33.24	840.00	6512(D400)d	2633 010 12	N190V	-	-
	1D60.30.21	903.00	div. Nr.Ø130	-	N180-130	3900-60-10Ø1300	-

Schachtabdeckungen Vollguss

ACO Drain

ACO Edelstahl

ACO Bauguss

ACO Schacht-
abdeckungen

ACO Schächte

ACO Mineralöl-
abscheider

ACO Spezial-
anwendungen

ACO Markant

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
	Art. Nr.	CHF/Stk.					
ACO Drain	1D60.30.22	1008.00	div. Nr.Ø130	-	N180V-130	-	-
	1D60.30.61	982.00	div. Nr.Ø130	-	N180H-130	-	-
ACO Edelstahl	1D60.30.62	1087.00	div. Nr.Ø130	-	N180HV-130	-	-
	1D60.30.23	903.00	div. Nr.Ø130	-	N190-130	3910-60-10Ø1300	-
	1D60.30.24	1008.00	div. Nr.Ø130	-	N190V-130	-	-
	1D60.31.21	956.00	6511(D400)(Re)	2632 010 10 PP	PPN180	3900-60-10 PP	-
	1D60.31.22	1061.00	6511(D400)d(Re)	2632 010 12 PP	PPN180V	-	-
	1D60.31.61	1034.00	6511(D400)c(Re)	-	PPN180H	-	-
	1D60.31.62	1139.00	6511(D400)cd(Re)	-	PPN180HV	-	-
	1D60.31.23	956.00	6512(D400)(Re)	2633 010 10 PP	PPN190	3910-60-10 PP	-
	1D60.31.24	1061.00	6512(D400)d(Re)	2633 010 12 PP	PPN190V	-	-
	ACO Bauguss	1D60.13.21	709.00	6513(D400)b	2616 060 10	180-60S	2200/2600-60-10
1D60.13.22		814.00	6513(D400)db	2616 060 12	-	2200-60-13	-
1D60.13.61		788.00	6513(D400)cb	-	180-60HS	-	-
1D60.13.62		893.00	6513(D400)eb	-	194-60S	-	-
1D60.13.23		709.00	6514(D400)b	2618 060 10	190-60S	2210/2610-60-10	1011-60-CAB
1D60.13.24		814.00	6514(D400)db	2618 060 12	-	2210-60-12	-
1D60.11.21		488.00	6513(D400)	2616 060 00	180-60	2200/2600-60-00	1010-60
1D60.11.22		593.00	6513(D400)e	2616 060 02	-	2200-60-03	-
1D60.11.61		530.00	6513(D400)c	-	180-60H	-	-
1D60.11.62		599.00	6513(D400)e	-	194-60	-	-
ACO Schacht- abdeckungen	1D60.11.23	488.00	6514(D400)	2618 060 00	190-60	2210/2610-60-00	1011-60
	1D60.11.24	593.00	6514(D400)d	2618 060 02	-	2210-60-02	-
	1D60K33.21	735.00	6511(D400)K	-	N180K	-	-
	1D60K33.23	735.00	6512(D400)K	-	N190K	-	-
	1D60K30.21	903.00	-	-	-	-	-
	1D60K30.23	903.00	-	-	-	-	-
	1D60K31.21	956.00	-	-	-	-	-
	1D60K31.23	956.00	-	-	-	-	-
	1D60K13.21	709.00	6513(D400)bK	-	180-60KS	-	-
	1D60K13.23	709.00	6514(D400)bK	-	190-60KS	-	-
ACO Schächte	1D60K11.21	488.00	6513(D400)K	-	180-60K	-	-
	1D60K11.23	488.00	6514(D400)K	-	190-60K	-	-
	1D60.13.72	667.00	6527b	-	210-60S/1500S	-	-
	1D60.13.74	667.00	6528b	-	1510S	-	-
	1D60.51.72	641.00	-	-	SN180/210SN	-	1550-60
	1D60.51.74	641.00	-	-	SN190/220SN	-	1560-60
	1D60.11.72	446.00	6527	-	210-60/1500	2700/2800-60-04	1400/1500-60
	1D60.11.74	446.00	6528	-	1510	-	1410/1510-60
	1D80.13.72	929.00	-	2650 080 10/12	184-80VS	-	-
	1D80.13.74	929.00	-	-	-	-	-
ACO Mineralöl- abscheider	1D80.18.72	751.00	-	2650 080 00/02	184-80V/1500-MAXIMO	2820-80-04	1400-80
	1D80.18.74	751.00	-	-	-	-	-
	1015159	761.00	-	-	194-60	-	-
	1D60.13.52	1028.00	-	-	-	-	-
	1015000	1108.00	6239	-	184-80V / 196-80	-	-
	1D80.13.52	1628.00	-	-	-	-	-
	1D60.13.26	955.00	6527mFDb	2634 60 10	-	-	-
	1D60.11.26	640.00	6527mFD	2634 60 00	-	-	-
	1E60.33.21	851.00	-	2666 010 10	N186-60	-	-
	1E60.33.22	924.00	-	2666 010 12	-	-	-
ACO Spezial- anwendungen	1E60.33.23	851.00	-	2667 010 10	-	-	-
	1E60.33.24	924.00	-	2667 010 12	-	-	-
	1E60.13.21	788.00	-	2657 060 10	-	-	-
	1E60.13.22	861.00	-	2657 060 12	-	-	-
	1E60.13.23	788.00	-	2658 060 10	-	-	-
	1E60.13.24	861.00	-	2658 060 12	-	-	-
	1E60.11.21	567.00	-	2657 060 00	186-60	-	-
	1E60.11.22	641.00	-	2657 060 02	-	-	-
	1E60.11.23	567.00	-	2658 060 00	-	-	-
	1E60.11.24	641.00	-	2658 060 02	-	-	-
ACO Markant							

Schachtabdeckungen Vollguss

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
	Art. Nr.	CHF/Stk.					
	1F60.13.11	998.00	-	-	-	-	-
	1F60.11.11	693.00	-	-	-	-	-
	"1D60.13.26 (ø 1300)"	955.00	-	"2634 60 10 (nur ø 1050)"	-	-	-
	1D60.11.26	640.00	-	2634 60 00	-	-	-
Schachtabdeckungen BEGU	50KN.17.50	180.00	6584a/50	-	405-50B	14-50-40/18-50-40	-
	30KN.17.60	110.00	6584/60	2740	403-60B	13-60-40/17-60-40	221
	50KN.17.60	125.00	6584a/60	2741	405-60B	14-60-40/18-60-40	223
	75KN.17.60	180.00	6584b/60	2742	415-60B	16-60-40/19-60-40	225
	50KN.17.80	485.00	6584a/80	-	405-80B	14-80-40/18-80-40	-
	2B60.11.11	252.00	6596/6597 5NF	-	435-60AB	1150-60-40	230-60A-COB
	2B60.11.12	341.00	-	-	-	-	-
	2B60.12.11	294.00	6586/6587 5NF	2703 060 50	435-60B	1160-60-40	230-60-COB
	2B60.12.12	383.00	-	2703 060 53	-	-	-
	2C60.11.11	326.00	6596 10NF	2745 060 50	440-60AB	-	240-60A-COB
	2C60.11.12	415.00	-	2745 060 52	-	-	-
	2C60.11.13	326.00	6598 10NF	-	450-60AB	-	241-60A-COB
	2C60.11.14	415.00	-	-	-	-	-
	2C60.12.11	347.00	6586 10NF	-	440-60B	-	240-60-COB
	2C60.12.12	436.00	-	-	-	-	-
	2C60.12.13	347.00	6588 10NF	-	450-60B	-	241-60-COB
	2C60.12.14	436.00	-	-	-	-	-
	2D6X.12.47	488.00	6599	2730 060 00	470-60 / 476-60	1105/1110-60-20	332-60
	2D6X.13.47	709.00	-	-	-	-	-
	2D6Q.12.47	614.00	6633/5	-	470Q60	-	336-60x60
	2C6Q.12.47	508.00	-	-	-	-	-
	2D60.33.11	735.00	6511(D400)F	2732 010 60	N480B	3800-60-50	1060-60-COB
	2D60.33.12	840.00	6511(D400)dF	2732 010 62	N480BV	-	1060-60-V-COB
	2D60.33.51	814.00	6511(D400)cF	-	N480HB	-	-
	2D60.33.52	919.00	6512(D400)cdF	-	N480HBV	-	-
	2D60.33.13	735.00	6512(D400)F	2733 010 60	N490B	3810-60-50	1061-60-COB
	2D60.33.14	840.00	6512(D400)dF	2733 010 62	N490BV	-	-
	2D60.30.11	903.00	div. Nr.Ø130	-	N480B-130	3800-60-50Ø1300	-
	2D60.30.12	1008.00	div. Nr.Ø130	-	N480BV-130	-	-
	2D60.30.51	982.00	div. Nr.Ø130	-	N480HB-130	-	-
	2D60.30.52	1087.00	div. Nr.Ø130	-	N480HBV-130	-	-
	2D60.30.13	903.00	div. Nr.Ø130	-	N490B-130	3810-60-50Ø1300	-
	2D60.30.14	1008.00	div. Nr.Ø130	-	N490BV-130	-	-
	2D60.31.11	955.00	6511(D400)F(Re)	2732 010 60 PP	PPN480B	3800-60-50 PP	-
	2D60.31.12	1060.00	6511(D400)dF(Re)	2732 010 62 PP	PPN480BV	-	-
	2D60.31.51	1034.00	6511(D400)cF(Re)	-	PPN480HB	-	-
	2D60.31.52	1139.00	6512(D400)cdF(Re)	-	PPN480HBV	-	-
	2D60.31.13	955.00	6512(D400)F(Re)	2733 010 60 PP	PPN490B	3810-60-50 PP	-
	2D60.31.14	1060.00	6512(D400)dF(Re)	2733 010 62 PP	PPN490BV	-	-
	2D60.13.11	709.00	6577bF	2716 060 60	480-60BS	2500-60-50	1020-60-CCB
2D60.13.12	814.00	6577ebF	2716 060 62	-	-	1020-60-V-CCB	
2D60.13.51	788.00	6577cbF	-	480-60HBS	-	-	
2D60.13.52	893.00	6577ebF	-	480-60HBVS	-	-	
2D60.13.13	709.00	6578bF	2718 060 60	490-60BS	2510-60-50	1021-60-CCB	
2D60.13.14	814.00	6578dbF	2718 060 62	-	-	-	
2D60.12.11	488.00	6577F	2716 060 50	480-60B	"2500-60-40 (1200-60-40)"	1020-60-COB	
2D60.12.12	593.00	6577dF	2716 060 52	-	-	1020-60-V-COB	
2D60.12.51	530.00	6577cF	-	480-60HB	-	-	
2D60.12.52	599.00	6577eF	-	480-60HBV	-	-	
2D60.12.13	488.00	6578F	2718 060 50	490-60B	"2510-60-40 (1210-60-40)"	1021-60-COB	
2D60.12.14	593.00	6578dF	2718 060 52	-	-	-	

ACO Drain

ACO Edelstahl

ACO Bauguss

ACO Schacht-
abdeckungen

ACO Schächte

ACO Mineralöl-
abscheider

ACO Spezial-
anwendungen

ACO Markant

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA	
	Art. Nr.	CHF/Stk.						
ACO Drain	"2D60.13.27 (ø 1300)"	955.00	-	"2734 60 10 (nur ø 1050)"	-	-	-	
	2D60.11.27	640.00	-	2734 60 00	-	-	-	
ACO Edelstahl	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	Giesserei Chur	
	SA141E.oB	1130.00						-
	SA141E.mB	1240.00	-	-	485-60NBS	GR SA 141 E gefüllt	141 gefüllt	
	SA141EV.oB	1170.00	-	-	495-60NS	GR SA 141 EV leer	141 V leer	
	SA141EV.mB	1270.00	-	-	495-60NBS	GR SA 141 EV gefüllt	141 V gefüllt	
	SA140E.oB	730.00	-	-	485-60N	GR SA 140 E leer	140 leer	
	SA140E.mB	840.00	-	-	485-60NB	GR SA 140 E gefüllt	140 gefüllt	
	SA140EV.oB	780.00	-	-	495-60N	GR SA 140 EV leer	140 V leer	
	SA140EV.mB	880.00	-	-	495-60NB	GR SA 140 EV gefüllt	140 V gefüllt	
	ZR.140.141	360.00	-	-	ZR600-485-495	520-30	-	
	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA	
	2E60.33.11	851.00						-
	2E60.33.12	924.00	-	2766 010 62	N486BV	-	-	
	2E60.33.13	851.00	-	-	N496B	-	-	
	2E60.33.14	924.00	-	-	N496BV	-	-	
	2E60.13.11	788.00	-	2757 060 60	486-60BS	-	-	
	2E60.13.12	861.00	-	2757 060 62	-	-	-	
2E60.13.13	788.00	-	-	496-60BS	-	-		
2E60.13.14	861.00	-	-	-	-	-		
2E60.12.11	567.00	-	2757 060 50	486-60B	-	-		
2E60.12.12	641.00	-	2757 060 52	-	-	-		
2E60.12.13	567.00	-	-	496-60B	-	-		
2E60.12.14	641.00	-	-	-	-	-		
2F60.13.11	998.00	6579bF	2729 060 60	489-60BS	-	-		
2F60.13.13	998.00	-	-	499-60BS	-	-		
2F60.12.11	693.00	-	-	489-60B	-	-		
2F60.12.13	693.00	-	-	499-60B	-	-		
ACO Schacht- abdeckungen	4ANW.11.13		6210	2805	621	22	600	
	4ANW.11.13		6210	2805	621	22	600	
	4A25.11.13	84.00	6210 25	2805 025 00	621-25	22-125	600-25	
	4A30.11.13	95.00	6210 30	2805 030 00	621-30	22-130	600-30	
	4A40.11.13	126.00	6210 40	2805 040 00	621-40	22-140	600-40	
	4A50.11.13	158.00	6210 50	2805 050 00	621-50	22-150	600-50	
	4A60.11.13	173.00	6210 60	2805 060 00	621-60	22-160	600-60	
	4A70.12.13	310.00	6155 60	2803 060 00	621-60C/621-70	22C-160/22-170AR	595-60	
	4A80.12.13	431.00	-	-	621-80	-	-	
	4A60.22.13	362.00	6185 60	2801 060 00	621-60Q	-	580-9	
	4BNW.11.13		6220	2815	625	22-5	601	
	4B20.11.13	84.00	-	2815 020 00	625-20	-	-	
	4B25.11.13	95.00	-	2815 025 00	625-25	-	-	
	4B30.11.13	105.00	6220 30	2815 030 00	625-30	22-530	601-30	
	4B40.11.13	147.00	6220 40	2815 040 00	625-40	22-540	601-40	
	4B50.11.13	168.00	6220 50	2815 050 00	625-50	22-550	601-50	
	4B60.11.13	200.00	6220 60	2815 060 00	625-60	22-560	601-60	
	4B70.12.13	320.00	6156/57 60	2813 060 00	625-60C/625-70	22C-560/22-570AR	598-60/596-60	
	4B80.12.13	441.00	-	-	625-80	-	-	
	4B60.22.13	373.00	6186/87 60	2811 060 00	625-60Q	-	590-6	
ACO Spezial- anwendungen	3B60.11.13	294.00	7530 60	-	635-60	55-60	602-60	
	3B60.18.13	326.00	-	-	635-60C	55A-60	-	
	3C60.11.13	352.00	7521N	2905 060 00	630-60A	56-60	-	
	3C60.18.13	383.00	7520N	-	630-60	56A-60	606-60	
	3D60.33.13	798.00	6511SR	-	N636-60	280-60-101	2600-60-CAB	
	3D60.13.13	788.00	6513SRb	-	636-60S	57-60-101	-	
	3D60.12.13	551.00	6513SR	-	636-60	57-60	2400-60	
	ACO Markant	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
		2E60.33.11	851.00					
		2E60.33.12	924.00	-	2766 010 62	N486BV	-	-
2E60.33.13		851.00	-	-	N496B	-	-	
2E60.33.14		924.00	-	-	N496BV	-	-	
2E60.13.11		788.00	-	2757 060 60	486-60BS	-	-	
2E60.13.12		861.00	-	2757 060 62	-	-	-	
2E60.13.13		788.00	-	-	496-60BS	-	-	
2E60.13.14		861.00	-	-	-	-	-	
2E60.12.11		567.00	-	2757 060 50	486-60B	-	-	

Vergleichstabelle

ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA
Art. Nr.	CHF/Stk.					
3E60.13.14	987.00	-	2917 010 12	-	-	-
3E60.13.13	861.00	-	2918 060 10	-	-	-
3E60.13.14	935.00	-	2918 060 12	-	-	-
3E60.12.13	604.00	-	2918 060 00	-	-	-
3E60.12.14	677.00	-	2918 060 02	-	-	-

Strassenaufsätze	6C52.22.31	236.00	7196/420	-	-	-	-	
	6C52.22.33	236.00	7196/4	2940 001 00	640	35-1	511-4	
	6C52.22.63	273.00	7210/4FR	2942 001 00	620	-	514-1	
	6C52.22.64	294.00	7210/020FR	2945 001 00	610-10	-	-	
	6C52.28.31	257.00	7196/420a	-	-	-	-	
	6C52.28.33	257.00	7196/4a	2940 002 00	640-20	-	506-4	
	6C52.28.63	294.00	7210/4aFR	2942 002 00	620-20	-	-	
	6C52.28.64	315.00	7210/020aFR	2945 002 00	610-20	-	-	
	6C52.44.31	499.00	7196/720	-	-	-	-	
	6C52.44.33	499.00	7196/7	2932 005 10	N640S50	220-102	2161-4-CAB-1	
	6C52.44.63	536.00	-	2934 005 10	N620S50	-	-	
	6C52.44.64	557.00	-	2947 005 10	N610S50	-	-	
	6C52.45.31	499.00	7196/820	-	-	-	-	
	6C52.45.33	499.00	7196/8	2932 006 10	N640S60	220-103	2161-4-CAB-2	
	6C52.45.63	536.00	-	2934 006 10	N620S60	-	-	
	6C52.45.64	557.00	-	2947 006 10	N610S60	-	-	
	6C52.ZH.31	499.00	-	-	-	-	-	
	6C52.ZH.33	499.00	7196/8TAZ-02	-	-	-	-	
	6C52.ZH.63	536.00	7196/8TAZ-02FR	-	-	-	-	
	6C52.ZH.64	557.00	7196/8TAZ-020FR	-	-	-	-	
	6C52.46.31	499.00	7196/620	-	-	-	-	
	6C52.46.33	499.00	7196/6	2939 002 10	N640S40	220-104	2156-12	
	6C52.46.63	536.00	-	-	N620S40	-	-	
	6C52.46.64	557.00	-	-	N610S40	-	-	
	6C52.47.31	572.00	-	-	-	-	-	
	6C52.47.33	572.00	-	-	-	-	-	
	6C52.47.63	609.00	-	-	-	-	-	
	6C52.47.64	630.00	-	-	-	-	-	
	6C52.22.43	273.00	7440	2936 001 00	670	53-1	526-4	
	6C52.47.43	719.00	7440-b.E	2936 001 10	-	-	-	
	6C52.44.43	536.00	-	-	-	-	-	
	6C42.28.43	373.00	7226	2951 001 00	671	-	-	
	6C42.47.43	814.00	7226b	2951 001 10	Crea ES21,F3025	-	-	
	6C28.22.63	236.00	-	2965 002 00	650-10	-	-	
	6C28.28.63	247.00	7452	2965 001 00	650-20	40-1	513-1	
	6C40.40.30	215.00	-	-	-	-	-	
	6C50.50.30	247.00	-	-	-	-	-	
	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	Giesserei Chur	
	ER.230	900.00	-	-	645-20S	GR ER 230	230	
	ER.231	540.00	-	-	645-20	GR ER 231	231	
	ZR.230.231	270.00	-	-	ZR645	560-30	-	
	ER.235	960.00	-	-	675-20S	GR ER 235	235	
	ER.233	600.00	-	-	675-20	GR ER 233	233	
	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA	
	ZR.233.235	300.00	-	-	ZR675	580-30	-	
6D52.22.33	257.00	7196 / 7210	2941 001 00	680-10	34-1	2113-3		
6D52.22.35	257.00	7196 / 7210	2941 003 00	690-10	34-2	2115-5		
6D52.22.36	257.00	7196/420	-	-	-	-		
6D52.22.65	257.00	7196/420	-	611-10	-	-		
6D52.28.33	278.00	7196 / 7210	2941 002 00	680-20	34-3	2112-2		
6D52.28.35	278.00	7196 / 7210	2941 004 00	690-20	34-4	2114-4		
6D52.28.36	278.00	7196/420a	-	-	-	-		
6D52.28.65	278.00	7196/420a	-	611-20	33-3	-		

ACO Drain
ACO Edelstahl
ACO Bauguss
ACO Schacht-
abdeckungen
ACO Schächte
ACO Mineralö-
abscheider
ACO Spezial-
anwendungen
ACO Markant

Vergleichstabelle

	ACO		Giesserei Erzenberg	vonRoll	BGS	Nottaris	FASA	
	Art. Nr.	CHF/Stk.						
ACO Drain	6D52.44.35	520.00	7196/720	2933 015 10	N690S50	210-102	2163-4-CAB-1	
	6D52.44.36	520.00	7196/720	-	-	-	-	
	6D52.44.65	520.00	7196/720	-	N611S50	-	-	
	6D52.45.33	520.00	7196/820	2933 006 10	N680S60	205-103	2162-2-CAB-2	
	6D52.45.35	520.00	7196/820	2933 016 10	N690S60	210-103	2163-4-CAB-2	
	6D52.45.36	520.00	7196/820	-	-	-	-	
	6D52.45.65	520.00	7196/820	-	N611S60	-	-	
	6D52.ZH.33	520.00	7196/8TAZ-040	-	-	-	-	
	6D52.ZH.35	520.00	7196/8TAZ-140	-	-	-	-	
	6D52.ZH.36	520.00	-	-	-	-	-	
ACO Edelstahl	6D52.46.33	520.00	7196/620	-	N680S40	205-104	-	
	6D52.46.35	520.00	7196/620	-	N690S40	210-104	-	
	6D52.46.36	520.00	7196/620	-	-	-	-	
	6D52.46.65	520.00	7196/620	-	N611S40	-	-	
	6D52.47.33	593.00	-	-	-	-	-	
	6D52.47.35	593.00	-	-	-	-	-	
	6D52.47.36	593.00	-	-	-	-	-	
	6D52.47.65	593.00	-	-	-	-	-	
	6D40.40.30	257.00	-	-	-	-	-	
	6D50.50.30	289.00	-	-	-	-	-	
ACO Bauguss	3D79.03.04	835.00	-	2982 001	-	-	-	
	3D79.08.04	856.00	-	-	-	-	-	
	3D79.23.04	856.00	5765/1	2982 001 DN150 Art.-Nr.116835	-	-	-	
	3D79.28.04	877.00	-	-	-	-	-	
	3D79.53.04	845.00	-	2980 001	-	-	-	
	3D79.58.04	877.00	-	-	-	-	-	
	3D79.73.04	877.00	5763/1	2980 001 DN150 Art.-Nr.116835	-	-	-	
	3D79.78.04	908.00	-	-	-	-	-	
	3D80.03.04	940.00	-	"2982 R 2980 R"	-	-	-	
	3D80.23.04	961.00	-	-	-	-	-	
ACO Schacht- abdeckungen	3D80.53.04	950.00	-	"2983 R 2981 R"	-	-	-	
	3D80.73.04	982.00	-	-	-	-	-	
	8D06.06.02	1113.00	6600(D400) 5dF	2535E C00	DB060060BV			
	8D06.13.02	2231.00		2535ME CC0 2C	DB122060BV			
	8D06.19.02	3297.00		2535ME CC0 3C	"DB184060BV DB199060BV"			
	8D07.07.02	1454.00	6600(D400) 7dF	2535E E00	DCB075075BV			
	8D07.16.02	2809.00		2535ME EE0 2E	DCB152075BV			
	8D07.24.02	4095.00		2535ME EE0 3E	DCB229075BV			
	8D09.09.02	1906.00	6600(D400) 9dF		DCB090090BV			
	8D09.19.02	3691.00			"DCB182090BV DB184090BV"			
ACO Schächte	8D09.28.02	5418.00			DCB274090BV			
	8D10.10.02	2510.00	6600(D400) 11dF	2535E G00	"DCB102100BV DB102100BV"			
	8D10.20.02	4930.00		2535ME GGO 2G	"DCB206100BV DB206100BV"			
	8D10.30.02	6820.00		2535ME GGO 3G	DB310100BV			
	8D06.06.07	940.00	6554(D400) 4	2525E C00 02	DG060060V			
	8D06.13.07	1953.00		2525ME CC0 2C 02	DG122060V			
	ACO Mineralöli- abscheider							
ACO Spezial- anwendungen								
ACO Markant								

Vergleichstabelle

ACO	ACO		Giesserei Erzenberg	vonRoll	BCS	Nottaris	FASA
	Art. Nr.	CHF/Stk.					
Strassenaufsätze	8D07.07.07	1271.00	6554(D400) 8a	2525E E00 02	DG075075V		
	8D07.16.07	2541.00		2525ME EE0 2E 02	DG152075V		
	8D07.24.07	3665.00		2525ME EE0 3E 02	DG229075V		
	8D09.09.07	1722.00	6554(D400) 8a		DG090090V		
	8D09.19.07	3428.00			DG184090V		
	8D09.28.07	5019.00			DG274090V		
	8D10.10.07	2216.00	6554(D400) 11	2525E G00 02	DG102100V		
	8D10.20.07	4473.00		2525ME GG0 2G 02	DG202100V		
	8D10.30.07	5723.00		2525ME GG0 3G 02	DG304100V		
	8D06.06.62	2016.00	6600(D400) 5dbF	2535E C00 12	DB060060BVS		
	8D06.13.62	3444.00		2535ME CC0 2C 12	DB122060BVS		
	8D06.19.62	5040.00		2535ME CC0 3C 12	"DB184060BV DB199060BVS"		
	8D07.07.62	2415.00	6600(D400) 7dbF	2535E E00 12	DCB075075BVS		
	8D07.16.62	4079.00		2535ME EE0 2E 12	DCB152075BVS		
	8D07.24.62	5859.00		2535ME EE0 3E 12	DCB229075BVS		
	8D09.09.62	2945.00	6600(D400) 9dbF		DCB090090BVS		
	8D09.19.62	5003.00			"DCB182090BV DB184090BVS"		
	8D09.28.62	7203.00			DCB274090BVS		
	8D10.10.62	3554.00	6600(D400) 11dbF	2535E G00 12	"DCB102100BV DB102100BVS"		
	8D10.20.62	6200.00		2535ME GG0 2G 12	"DCB206100BV DB206100BVS"		
	8D10.30.62	8416.00		2535ME GG0 3G 12	DB310100BVS		
	8D06.06.67	1843.00	6554(D400) 4db	2525E C00 12	DG060060VS		
	8D06.13.67	3166.00		2525ME CC0 2C 12	DG122060VS		
	8D06.19.67	4583.00		2525ME CC0 3C 12	DG184060VS		
	8D07.07.67	2231.00	6554(D400) 8adb	2525E E00 12	DG075075VS		
	8D07.16.67	3812.00		2525ME EE0 2E 12	DG152075VS		
	8D07.24.67	5429.00		2525ME EE0 3E 12	DG229075VS		
	8D09.09.67	2762.00	6554(D400) 8adb		DG090090VS		
	8D09.19.67	4741.00			DG184090VS		
	8D09.28.67	6804.00			DG274090VS		
8D10.10.67	3260.00	6554(D400) 11db	2525E G00 12	DG102100VS			
8D10.20.67	5744.00		2525ME GG0 2G 12	DG202100VS			
8D10.30.67	7319.00		2525ME GG0 3G 12	DG304100VS			

ACO Drain

ACO Edelstahl

ACO Bauguss

ACO Schacht-
abdeckungen

ACO Schächte

ACO Mineralöl-
abscheider

ACO Spezial-
anwendungen

ACO Markant